## Safety Data Sheet ULTRACARE MOULD REMOVER

Safety Data Sheet dated: 10/06/2022 - version 1



#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Mixture identification:

Trade name: ULTRACARE MOULD REMOVER

Trade code: 9011492 UFI: R7M2-R0G2-D00X-E198

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Cleaner

Uses advised against: Data not available

## 1.3. Details of the supplier of the safety data sheet

Company: MAPEI U.K. Ltd - Mapei House Steel Park Road

Halesowen - West Midlands B62 8HD

phone: +44(0)121 508 6970 - fax: +44(0)121 5086 960 - www.mapei.co.uk (office hour 8:30-17:30)

Responsible: sicurezza@mapei.it

1.4. Emergency telephone number

call NHS 111 or a doctor/OHES Environmental Ltd +44(0)333 333 9962

## **SECTION 2: Hazards identification**





#### 2.1. Classification of the substance or mixture

## Regulation (EC) n. 1272/2008 (CLP)

Met. Corr. 1 May be corrosive to metals.

Skin Corr. 1A Causes severe skin burns and eye damage.

Eye Dam. 1 Causes serious eye damage.

Aquatic Acute 1 Very toxic to aquatic life.

Aquatic Chronic 2 Toxic to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

#### 2.2. Label elements

Regulation (EC) n. 1272/2008 (CLP)

#### **Pictograms and Signal Words**



Danger

#### **Hazard statements:**

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

#### **Precautionary statements:**

P273 Avoid release to the environment.

P280 Wear protective gloves/clothing and eye/face protection.
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P310 Immediately call a POISON CENTER.

P391 Collect spillage.

Print date 20/10/2022 Production Name ULTRACARE MOULD REMOVER Page n. 1 of 11

#### **Contains:**

amines, C12-14 (even numbered)-alkyldimethyl, N-oxides

sodium hypochlorite, solution... % Cl active

sodium hydroxide; caustic soda

#### Special provisions according to Annex XVII of REACH and subsequent amendments:

None.

#### 2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration  $\geq$  0.1%.

Other Hazards: No other hazards

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not Relevant

#### 3.2. Mixtures

Mixture identification: ULTRACARE MOULD REMOVER

## Hazardous components within the meaning of the CLP regulation and related classification:

Concentra tion (% w/w)	Name	Ident. Numb.	Classification	Registration Number
≥5 - <10 %	amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	EC:931-292-6	Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Irrit. 2, H315; Aquatic Acute 1, H400; Aquatic Chronic 2, H411	01-2119490061-47-XXXX
≥2.5 - <5 %	sodium hypochlorite, solution % Cl active	EC:231-668-3	Met. Corr. 1, H290; Aquatic Acute 1, H400; Skin Corr. 1B, H314; STOT SE 3, H335; Aquatic Chronic 1, H410, M-Chronic:1, M- Acute:10, EUH031	01-2119488154-34-XXXX
≥2.5 - <5 %	sodium hydroxide; caustic soda	CAS:1310-73-2 EC:215-185-5 Index:011-002- 00-6	Skin Corr. 1A, H314 Met. Corr. 1, H290 Specific Concentration Limits: $5\% \le C < 100\%$ : Skin Corr. 1A H314 $2\% \le C < 5\%$ : Skin Corr. 1B H314 $0.5\% \le C < 2\%$ : Skin Irrit. 2 H315 $0.5\% \le C < 2\%$ : Eye Irrit. 2 H319	

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

## 4.2. Most important symptoms and effects, both acute and delayed

Eye irritation Eye damages Skin Irritation Erythema

Print date 20/10/2022 Production Name ULTRACARE MOULD REMOVER Page n. 2 of 11

#### 4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

(see paragraph 4.1)

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

#### 5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

#### 5.3. Advice for firefighters

Use suitable breathing apparatus.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

### 6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

#### 6.3. Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Retain contaminated washing water and dispose it.

#### 6.4. Reference to other sections

See also section 8 and 13

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

## 7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

May be corrosive to metals.

Instructions as regards storage premises:

Adequately ventilated premises.

#### 7.3. Specific end use(s)

Recommendation(s)

None in particular

Industrial sector specific solutions:

None in particular

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### List of components with OEL value

OEL Type	Country	Ceiling	Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Note
NDS			0.5				

caustic soda CAS: 1310-73-2

sodium hydroxide;

NDSCh 1

National SWE	DEN	С	1	2	SWEDEN, Ceiling limit value
National FINL	AND			2	FINLAND, takvärde
National NOR	WAY		2		NORWAY, T
ACGIH		С		2	URT, eye, and skin irr
National NOR	WAY		2	2	
ACGIH		С		2	
ACGIH					eye, skin and upper
					respiratory tract irritation
National SWE	DEN		1		
National FRAN	NCE		2		
National SPAI	N			2	
National GREE	ECE		2	2	
National DENI	MARK	С		2	
National FINL	AND	С		2	
National NOR	WAY	С		2	
NDS POLA	AND		0.5		
NDSCh POLA	AND			1	
CHE SWIT	TZERLAND			2	
National CZEC	CH JBLIC		1		
			_	_	
National HUN		_	2	2	
Malaysi MALA a OEL	AYSIA	С		2	
National PORT	ΓUGAL	С		2	
National ESTC	ONIA		1	2	
National LATV	/IA		0.5		
National CZEC	СН	С		2	
REPL	JBLIC				
National SLO\	/AKIA		2		
National SLO\	/ENIA		2	2	
National UNIT	ED GDOM			2	
National BULG			2.0		
National LITH		С		2	
National CRO	ATIA			2	

## **Predicted No Effect Concentration (PNEC) values**

	PNEC Limit	Exposure Route	<b>Exposure Frequency Remark</b>
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	0.0335 mg/l	Fresh Water	

Marine water

5.24 mg/kg Freshwater sediments

mg/l
0.524 Marine water
mg/kg sediments

24 mg/l Microorganisms in sewage treatments

1.02 mg/kg Soil

0.00335

## **Derived No Effect Level. (DNEL)**

Worker Worker Consu Exposure Route Exposure Frequency Remark Industr Profess mer y ional

Print date 20/10/2022 Production Name ULTRACARE MOULD REMOVER Page n. 4 of 11

amines, C12-14 (even 6.2 1.53 Human Inhalation Long Term, systemic numbered)-alkyldimethyl, mg/m3 mg/m3 effects

N-oxides

11 5.5 Human Dermal Long Term, systemic mg/kg mg/kg effects

0.44 Human Oral Long Term, systemic

mg/kg effects

## 8.2. Exposure controls

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; EN ISO 374:

Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min. Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min. Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min. Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Neoprene gloves are suggested (0,5 mm) not recommended gloves: not waterproof gloves

Respiratory protection:

Personal Protective Equipment should comply with relevant CE standards (as EN ISO 374 for gloves and EN ISO 166 for goggles), correctly maintained and stored. Consult the supplier to check the suitability of equipment against specific chemicals and for user information.

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to appropriate EN standards, like EN 136, 140, 143, 149, 14387 for information on selection and use of appropriate respiratory protection equipment.

Hygienic and Technical measures

Not available

Appropriate engineering controls:

Not available

#### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: Liquid Appearance: liquid Color: light yellow Odour: Characteristic

Melting point / freezing point: Not available

Initial boiling point and boiling range: 100 °C (212 °F)

Flammability: N.A.

Upper/lower flammability or explosive limits: Not available

Flash point: 100 °C (212 °F)

Auto-ignition temperature: Not available Decomposition temperature: Not available

pH: 13.00

Viscosity: Not available

Kinematic viscosity: Not available Solubility in water: Not available Solubility in oil: Not available

Partition coefficient (n-octanol/water): Not available

Vapour pressure: Not available Relative density: Not available Vapour density: Not available **Particle characteristics:** Particle size: Not available

#### 9.2. Other information

Miscibility: Not available Conductivity: Not available Metal corrosion rate: 6.26 No other relevant information

## **SECTION 10: Stability and reactivity**

Print date 20/10/2022 Production Name ULTRACARE MOULD REMOVER Page n. 5 of 11

#### 10.1. Reactivity

Stable under normal conditions

#### 10.2. Chemical stability

Stable under normal conditions

#### 10.3. Possibility of hazardous reactions

None.

#### 10.4. Conditions to avoid

Stable under normal conditions.

#### 10.5. Incompatible materials

May be corrosive to metals.

#### 10.6. Hazardous decomposition products

None.

#### **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information of the mixture:

a) acute toxicity Not classified

Based on available data, the classification criteria are not met

b) skin corrosion/irritation The product is classified: Skin Corr. 1A(H314) c) serious eye damage/irritation The product is classified: Eye Dam. 1(H318)

d) respiratory or skin sensitisation Not classified

Based on available data, the classification criteria are not met

e) germ cell mutagenicity Not classified

Based on available data, the classification criteria are not met

f) carcinogenicity Not classified

Based on available data, the classification criteria are not met

g) reproductive toxicity Not classified

Based on available data, the classification criteria are not met

h) STOT-single exposure Not classified

Based on available data, the classification criteria are not met

i) STOT-repeated exposure Not classified

Based on available data, the classification criteria are not met

j) aspiration hazard Not classified

Based on available data, the classification criteria are not met

#### Toxicological information on main components of the mixture:

amines, C12-14 (even a) acute toxicity

numbered)-alkyldimethyl,

N-oxides

LD50 Oral Rat = 2000 mg/kg

LD50 Skin Rat = 2000 mg/kg

sodium hypochlorite,

solution... % Cl active

a) acute toxicity

LD50 Oral Rat > 2000 mg/kg

LD50 Skin Rabbit > 2000 mg/kg

sodium hydroxide; caustic soda

a) acute toxicity

LD50 Oral Rat 2000 mg/kg

LD50 Skin Rabbit 1350 mg/kg LD50 Oral Rabbit 500 mg/kg LD50 Skin Rabbit = 1350 mg/kg LD50 Oral Rat = 325 mg/kg LD50 Skin Rabbit = 1350 mg/kg

## 11.2 Information on other hazards

## Endocrine disrupting properties:

No endocrine disruptor substances present in concentration >= 0.1%

Print date 20/10/2022 Production Name ULTRACARE MOULD REMOVER Page n. 6 of 11

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

Very toxic to aquatic organisms.

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

## List of Eco-Toxicological properties of the product

The product is classified: Aquatic Acute 1(H400), Aquatic Chronic 2(H411)

#### List of components with eco-toxicological properties

Component	Ident. Numb.	Ecotox Infos
amines, C12-14 (even numbered)- alkyldimethyl, N-oxides	EINECS: 931- 292-6	a) Aquatic acute toxicity: LC50 Fish > mg/L 96
		b) Aquatic chronic toxicity: NOEC Fish = mg/L - 15 d
		a) Aquatic acute toxicity: EC50 Daphnia > 3 mg/L 48
		a) Aquatic acute toxicity: EC50 Algae > mg/L 72
sodium hypochlorite, solution % Cl active	CAS: 7681-52-9 - EINECS: 231- 668-3 - INDEX: 017-011-00-1	a) Aquatic acute toxicity: EC50 Daphnia = 0.026 mg/L 48h
		a) Aquatic acute toxicity: LC50 Fish = 0.032 mg/L 96h EPA
sodium hydroxide; caustic soda	CAS: 1310-73-2 - EINECS: 215- 185-5 - INDEX: 011-002-00-6	a) Aquatic acute toxicity: EC50 Daphnia = 76 mg/L 24
		a) Aquatic acute toxicity: EC50 Daphnia = 40.38 mg/L 48

a) Aquatic acute toxicity: LC50 Fish = 99 mg/L 48

a) Aquatic acute toxicity: LC50 Fish = 45.5 mg/L 96b) Aquatic chronic toxicity: NOEC Fish = 56 mg/L 96

a) Aquatic acute toxicity: LC50 Fish Oncorhynchus mykiss = 45.4 mg/L 96h

**IUCLID** 

#### 12.2. Persistence and degradability

N.A.

## 12.3. Bioaccumulative potential

N.A.

#### 12.4. Mobility in soil

N.A.

#### 12.5. Results of PBT and vPvB assessment

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%.

## 12.6 Endocrine disrupting properties

No endocrine disruptor substances present in concentration >=0.1%

#### 12.7 Other adverse effects

Not available

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

A waste code (EWC) according to European List of Waste (LoW) cannot be specified, due to dependence on the usage. Contact and send to an authorized waste disposal service.

## Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Hazardous waste: Yes Disposal considerations:

Print date 20/10/2022 Production Name ULTRACARE MOULD REMOVER Page n. 7 of 11

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

#### Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

## **SECTION 14: Transport information**

#### 14.1. UN number or ID number

1719

#### 14.2. UN proper shipping name

ADR-Shipping Name: CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide, solution - sodium hypochlorite, solution) IATA-Technical name: CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide, solution - sodium hypochlorite, solution) IMDG-Technical name: CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide, solution - sodium hypochlorite, solution)

## 14.3. Transport hazard class(es)

ADR-Class: 8
IATA-Class: 8
IMDG-Class: 8

#### 14.4. Packing group

ADR-Packing Group: III IATA-Packing group: III IMDG-Packing group: III

#### 14.5. Environmental hazards

Marine pollutant: Yes Environmental Pollutant: Yes IMDG-EMS: F-A, S-B

## 14.6. Special precautions for user

Road and Rail ( ADR-RID ) :

ADR-Label: 8

ADR-Hazard identification number: 80

ADR-Special Provisions: 274

ADR-Transport category (Tunnel restriction code): 3 (E)

#### Air ( IATA ):

IATA-Passenger Aircraft: 852 IATA-Cargo Aircraft: 856

IATA-Label: 8

IATA-Subsidiary hazards: -

IATA-Erg: 8L

IATA-Special Provisioning: A3 A803

#### Sea ( IMDG ):

IMDG-Stowage Code: Category A IMDG-Stowage Note: SG22 SG35 SGG18

IMDG-Subsidiary hazards: -

IMDG-Special Provisioning: 223 274

IMDG-EMS: F-A, S-B

## 14.7. Maritime transport in bulk according to IMO instruments

Not Applicable

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EU) n. 2020/878

Regulation (EC) n. 1272/2008 (CLP)

Print date 20/10/2022 Production Name ULTRACARE MOULD REMOVER Page n. 8 of 11

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2015/1221 (ATP / CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2020/217 (ATP 14 CLP)

Regulation (EU) n. 2020/1182 (ATP 15 CLP)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category Lower-tier threshold Upper-tier threshold according to Annex 1, part 1 (tonnes) (tonnes)

Products belongs to category E1 100 200
Products belongs to category E2 200 500

# Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product: 3

Restrictions related to the substances contained: 75

#### **SVHC Substances:**

SVHC substances not present in a concentration  $\geq 0.1\%$  (w/w)

#### German Water Hazard Class (WGK)

Class 2: hazardous for water.

#### Regulation (EC) nr 648/2004 (Detergents)

#### **Product contents:**

Category: Qty:
non-ionic surfactants < 5%
phosphates < 5%
chlorine-based bleaching agents < 5%

#### 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

## **SECTION 16: Other information**

Code	Description		
EUH031	Contact with acids liberates toxic gas.		
H290	May be corrosive to metals.		
H302	Harmful if swallowed.		
H314	Causes severe skin burns and eye damage.		
H315	Causes skin irritation.		
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H335	May cause respiratory irritation.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting ef	fects.	
H411	Toxic to aquatic life with long lasting effects		
Code	Hazard class and hazard category	Description	
2.16/1	Met. Corr. 1	Substance or mixture	

Code	mazaru ciass anu mazaru category	Description
2.16/1	Met. Corr. 1	Substance or mixture corrosive to metals, Category 1
3.1/4/Oral	Acute Tox. 4	Acute toxicity (oral), Category 4
3.2/1A	Skin Corr. 1A	Skin corrosion, Category 1A
3.2/1B	Skin Corr. 1B	Skin corrosion, Category 1B
3.2/2	Skin Irrit. 2	Skin irritation, Category 2

Print date 20/10/2022 Production Name ULTRACARE MOULD REMOVER Page n. 9 of 11

3.3/1	Eye Dam. 1	Serious eye damage, Category 1
3.3/2	Eye Irrit. 2	Eye irritation, Category 2
3.8/3	STOT SE 3	Specific target organ toxicity — single exposure, Category 3 $$
4.1/A1	Aquatic Acute 1	Acute aquatic hazard, category 1
4.1/C1	Aquatic Chronic 1	Chronic (long term) aquatic hazard, category 1
4.1/C2	Aguatic Chronic 2	Chronic (long term) aguatic hazard, category 2

# Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

(EC) Nr. 1272/2008	Classification procedure
2.16/1	On basis of test data
3.2/1A	On basis of test data (pH)
3.3/1	On basis of test data (pH)
4.1/A1	Calculation method
4.1/C2	Calculation method

If appropriate, specific provisions in relation to possible training for workers are mentioned in section 2. Any training related to safety in the workplace must in any case refer to a risk assessment that must be carried out by a company safety officer taking into account the specific operating and environmental conditions in which the products are used.

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor

BEI: Biological Exposure Index

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, Mutagenic and Reprotoxic

COD: Chemical Oxygen Demand

COV: Volatile Organic Compound

CSA: Chemical Safety Assessment

CSR: Chemical Safety Report

DMEL: Derived Minimal Effect Level

DNEL: Derived No Effect Level.

DPD: Dangerous Preparations Directive

DSD: Dangerous Substances Directive

EC50: Half Maximal Effective Concentration

ECHA: European Chemicals Agency

EINECS: European Inventory of Existing Commercial Chemical Substances.

ES: Exposure Scenario

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

IARC: International Agency for Research on Cancer

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

IC50: half maximal inhibitory concentration ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

Print date 20/10/2022 Production Name ULTRACARE MOULD REMOVER Page n. 10of 11

IMDG: International Maritime Code for Dangerous Goods. INCI: International Nomenclature of Cosmetic Ingredients.

IRCCS: Scientific Institute for Research, Hospitalization and Health Care

KAFH: KAFH

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LDLo: Leathal Dose Low N.A.: Not Applicable N/A: Not Applicable

N/D: Not defined/ Not available

NA: Not available

NIOSH: National Institute for Occupational Safety and Health

NOAEL: No Observed Adverse Effect Level

OSHA: Occupational Safety and Health Administration.

PBT: Persistent, Bioaccumulative and Toxic

PGK: Packaging Instruction

PNEC: Predicted No Effect Concentration.

**PSG: Passengers** 

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

vPvB: Very Persistent, Very Bioaccumulative.

WGK: German Water Hazard Class.

Print date 20/10/2022 Production Name ULTRACARE MOULD REMOVER Page n. 11of 11